

TERRI

FOR ALL TERRAIN



D	Valves	2022-09-06	GS	date	2023-01-30	Model: Terri 3 Wheels				TERRI 0476-70 97 90 www.terri.se	Drawing nr: 702831		=T3	
E	Radio/Eber	2022-01-27	CV	User	CV									
F	AngleSens	2023-01-30	CV	Proved	RH						Bäckgatan 32	FRONT PAGE		Sheet 1
Status	change	date	name	Standard	InevTC	Origin	F (702832)	Repl. f.	E (702832)		34322 Älmhult			62 Sh.

	1	2	3	4	5	6	7	8							
contents															
Sheet		Description			date	editor	Document type								
1		FRONT PAGE			2022-09-06	GS	Electric								
2		CONTENTS			2022-09-06	GS	Electric								
3		CONTENTS			2022-09-06	GS	Electric								
4		CONTENTS			2022-09-06	GS	Electric								
5		Bill of Material			2022-09-06	GS	Electric								
6		Bill of Material			2022-09-06	GS	Electric								
7		Bill of Material			2022-09-06	GS	Electric								
8		Bill of Material			2022-09-06	GS	Electric								
9		Bill of Material			2022-09-06	GS	Electric								
10		Bill of Material			2022-09-06	GS	Electric								
11		Bill of Material			2022-09-06	GS	Electric								
12		Bill of Material			2022-09-06	GS	Electric								
13		Bill of Material			2022-09-06	GS	Electric								
14		Bill of Material			2022-09-06	GS	Electric								
15		Bill of Material			2022-09-06	GS	Electric								
16		Bill of Material			2022-09-06	GS	Electric								
17		OUTSIDE VIEW			2022-09-06	GS	Electric								
18		OUTSIDE VIEW			2022-09-06	GS	Electric								
19		FLOOR AND BANKER VIEW			2022-09-06	GS	Electric								
20		PANEL BOARD VIEW			2022-09-06	GS	Electric								
21		PANEL VIEW			2022-09-06	GS	Electric								
22		FLOOR VIEW			2022-09-06	GS	Electric								
100		MAIN CIRCUIT DIAGRAM			2022-09-06	GS	Electric								
101		RELAY K1-K9			2022-09-06	GS	Electric								
102		RELAY K10-K16			2022-09-06	GS	Electric								
103		SWITCHES S1-S6			2022-09-06	GS	Electric								
104		SWITCHES S7-S12			2022-09-06	GS	Electric								
105		SWITCHES S13-S20			2022-09-06	GS	Electric								
D	Valves	2022-09-06	GS	date	2023-01-30	Model: Terri 3 Wheels			TERRI		Drawing nr: 702831		=T3		
E	Radio/Eber	2022-01-27	CV	User	CV				0476-70 97 90		Bäckgatan 32		Content List		Sheet 2
F	AngleSens	2023-01-30	CV	Proved	RH				www.terri.se		34322 Älmhult				62 Sh.
Status	change	date	name	Standard	InevTC	Origin	F (702832)	Repl. f.	E (702832)						
1		2		3		4		5		6		7		8	

contents

Sheet	Description	date	editor	Document type
106	TERMINALS X1:1-12	2022-09-06	GS	Electric
107	TERMINALS X1:13-24	2022-09-06	GS	Electric
108	TERMINAL FUSES X1:31-43	2022-09-06	GS	Electric
109	TERMINAL FUSES X1:44-56	2022-09-06	GS	Electric
110	MIXED THINGS	2022-09-06	GS	Electric
111	RADIO, 12V SOCKET AND USB	2022-09-06	GS	Electric
112	LOGMAX K9, K10, K14	2022-09-06	GS	Electric
113	LOGMAX K11, K12, K13	2022-09-06	GS	Electric
114	FIRE SAFETY SYSTEM	2022-09-06	GS	Electric
115	WIPERS AND CAMERAS	2022-09-06	GS	Electric
116	CHAIR / CPC	2022-09-06	GS	Electric
117	MECANIL JOYSTICK	2022-09-06	GS	Electric
118	AC UNIT	2022-09-06	GS	Electric
119	EASYSTART	2022-09-06	GS	Electric
120	ECC	2022-09-06	GS	Electric
121	PEDALS	2022-09-06	GS	Electric
122	C5 AND C6 CONTACT	2022-09-06	GS	Electric
123	WORKLIGHT	2022-09-06	GS	Electric
124	A1 : VALVES	2022-09-06	GS	Electric
125	A2 : VALVES	2022-09-06	GS	Electric
126	A3 : FLUIDS	2022-09-06	GS	Electric
127	A4 : AC	2022-09-06	GS	Electric
128	A5 : LIGHT FORWARD AND DIV	2022-09-06	GS	Electric
129	A6 : TRAILER AND DIV BACK	2022-09-06	GS	Electric
130	A7 : DRIVE VALVE LF BOGGI	2022-09-06	GS	Electric
131	A8 : DRIVE VALVE RF BOGGI	2022-09-06	GS	Electric
132	A9 : DRIVE VALVE LB BOGGI	2022-09-06	GS	Electric
133	A10 : DRIVE VALVE RB BOGGI	2022-09-06	GS	Electric

D	Valves	2022-09-06	GS	date	2023-01-30	Model: Terri 3 Wheels				TERRI 0476-70 97 90 www.terri.se		Drawing nr: 702831		=T3	
E	Radio/Eber	2022-01-27	CV	User	CV										
F	AngleSens	2023-01-30	CV	Proved	RH							Bäckgatan 32	Content List		Sheet 3
Status	change	date	name	Standard	InevTC	Origin	F (702832)	Repl. f.	E (702832)			34322 Älmhult			62 Sh.

contents

[illegible]

D	Valves	2022-09-06	GS	date	2023-01-30	Model: Terri 3 Wheels			TERRI 0476-70 97 90 www.terri.se	Drawing nr: 702831		=T3	
E	Radio/Eber	2022-01-27	CV	User	CV								
F	AngleSens	2023-01-30	CV	Proved	RH								
Status	change	date	name	Standard	InevTC	Origin	F (702832)			Repl. f.	E (702832)	Bäckgatan 32 34322 Älmhult	Content List

	1	2	3	4	5	6	7	8
bill of material								
Higher Level Assignment:Location designation:								
Pos.	No.	Article Number	Description	manufacturer	Device designation			
1	1	24-7874	Connector 2-pole	Elfa	=T3+EXT-X84			
2	1	1042-02-030	Extinguisher 4L HP/TV/Sig. mod.	Fogmaker	=T3+P4-F21			
3	1	1676-00-24	Detector fluid bottle (24bar)	Fogmaker	=T3+P4-F20			
4	1	1760	Red Warning light	Fogmaker	=T3+P4-P6			
5	1	6810	Black Cable 4x0,75	Fogmaker	=T3+P4-W43			
6	1	6811	Grey Cable 2x0,75	Fogmaker	=T3+P4-W8			
7	1	6979-05	Green Diod	Fogmaker	=T3+P4-P2			
8	1	6992	Switch 2-pole 0-I	Fogmaker	=T3+P2-S28			
9	4	69841	Connector 2-pole	Fogmaker	=T3+P4-X5.1, =T3+P4-X5.2, =T3+P4-X5, =T3+P4-X7			
10	2	401503-1	Grey Cable (2x0,5)(2+3x1,5)	Logmax	=T3+EXT-W5, =T3+EXT-W6			
11	1	8003090	ECC LOKAB CONTROLER	Lokab	=T3+P4-K23			
12	1	3336774002	Alarm kit 34D	Fogmaker	=T3+P4-P5			
13	4	Caldaro Pedal Cable 1	Black Cable (4x0,75)	Caldaro	=T3+P6-W22, =T3+P6-W23, =T3+P6-W24, =T3+P6-W25			
14	40	Chassi Earth	Earth-chassi		=T3+EXT-PE1, =T3+EXT-PE2, =T3+EXT-PE3, =T3+EXT-PE4, =T3+EXT-PE18, =T3+EXT-PE19, =T3+EXT-PE20, =T3+P4-PE5, =T3+P4-PE6, =T3+P4-PE7, =T3+P4-PE8, =T3+P4-PE9, =T3+P4-PE10, =T3+P4-PE11, =T3+P4-PE12, =T3+P4-PE13, =T3+P4-PE14, =T3+P4-PE15, =T3+P4-PE16, =T3+P4-PE17, =T3+P4-PE21, =T3+P4-PE22, =T3+P4-PE23, =T3+P4-PE24, =T3+P4-PE34, =T3+P4-PE35, =T3+P4-PE36, =T3+P4-PE37, =T3+P4-PE38, =T3+P4-PE39, =T3+P4-PE40, =T3+P6-PE25, =T3+P6-PE26, =T3+P6-PE27, =T3+P6-PE28, =T3+P6-PE29, =T3+P6-PE30, =T3+P6-PE31, =T3+P6-PE32, =T3+P6-PE33			
15	1	DTM06-12S	Connector DTM Series; 12 positions; plug	Deutsch	=T3+EXT-X83.1			
16	24	DTM-C-B-AWG20-24			=T3+EXT-X83.1(12), =T3+P2-X10(12)			
17	9	DTM-C-S-AWG20-24			=T3+P4-X28.2(9)			
D	Valves	2022-09-06	GS	date	2023-01-30		Model: Terri 3 Wheels	
E	Radio/Eber	2022-01-27	CV	User	CV		TERRI	
F	AngleSens	2023-01-30	CV	Proved	RH		0476-70 97 90	
Status	change	date	name	Standard	InevTC	Origin	F (702832)	Repl. f.
							E (702832)	
				</				

bill of material											
Higher Level Assignment:						Location designation:					
Pos.	No.	Article Number		Description		manufacturer	Device designation				
18	1	Eberspächer-Cable 1		Black Cable (2x2,5)(6x0,5)		Eberspächer	=T3+P4-W12				
19	1	Eberspächer-Cable 2		Black Cable (2x1.0)		Eberspächer	=T3+P4-W15				
20	4	Eberspächer-Cable 4		Black Cable (4x0.5)		Eberspächer	=T3+EXT-W17, =T3+P4-W16, =T3+P4-W18, =T3+P4-W19				
21	1	Eberspächer-Cable 5		Black Cable (9x0.5)		Eberspächer	=T3+P4-W14				
22	2	Eberspächer-Cable 6		Black Cable (3x0.5)		Eberspächer	=T3+P4-W13, =T3+P4-W20				
23	1	Eberspächer-Cable 7		Black Cable (3x0.5)		Eberspächer	=T3+P4-W21				
24	1	KT-2JA001364001		Interior light			=T3+P4-P3				
25	15	KT-79XXXX		Black Cable 7x0,75			=T3+EXT-W89, =T3+EXT-W90, =T3+EXT-W91, =T3+EXT-W92, =T3+EXT-W93, =T3+EXT-W94, =T3+EXT-W95, =T3+EXT-W96, =T3+EXT-W101, =T3+EXT-W102, =T3+EXT-W103, =T3+EXT-W104, =T3+EXT-W105, =T3+EXT-W106, =T3+EXT-W107				
26	1	KT-1751		Fire alarm siren		Fogmaker	=T3+EXT-P4				
27	1	KT-2352		Main switch 250A			=T3+EXT-MS1				
28	1	KT-33570					=T3+EXT-X82				
29	1	KT-082002		Trailer socket			=T3+EXT-X82				
30	1	KT-098712		Buzzer			=T3+EXT-H5				
31	8	KT-138501		Grey Cable 2x1,5			=T3+EXT-W34, =T3+EXT-W35, =T3+EXT-W36, =T3+EXT-W37, =T3+EXT-W38, =T3+EXT-W39, =T3+EXT-W40, =T3+EXT-W41				
32	3	KT-139301		Grey Cable 4x1,5			=T3+EXT-W68, =T3+EXT-W69, =T3+EXT-W70				
33	18	KT-175548		Connector 6-pole			=T3+P3-X18.1, =T3+P3-X30.2, =T3+P4-X25.2, =T3+P6-A7.2, =T3+P6-A8.2, =T3+P6-A11.2, =T3+P4-ARB.2, =T3+P4-X6.2, =T3+P4-X8.2, =T3+P4-X72.2, =T3+P6-A1.2, =T3+P6-A2.2, =T3+P6-A3.2, =T3+P6-A4.2, =T3+P6-A5.2, =T3+P6-A6.2, =T3+P6-A9.2, =T3+P6-A10.2				
34	3	KT-175550		Connector 8-pole			=T3+P4-X6.1, =T3+P4-X8.1, =T3+P4-X72.1				
35	6	KT-175552		Connector 6-pole			=T3+P3-X18.2, =T3+P3-X30.1, =T3+P4-X25.1, =T3+P6-A7.1,				
D	Valves	2022-09-06	GS	date	2023-01-30	Model: Terri 3 Wheels		TERRI		Drawing nr: 702831	=T3
E	Radio/Eber	2022-01-27	CV	User	CV			0476-70 97 90		Bäckgatan 32	Sheet 6
F	AngleSens	2023-01-30	CV	Proved	RH			www.terri.se		34322 Älmhult	62 Sh.
Status	change	date	name	Standard	InevTC	Origin	F (702832)	Repl. f.	E (702832)		
1		2		3		4		5		6	

bill of material																	
Higher Level Assignment:						Location designation:											
Pos.	No.	Article Number		Description		manufacturer	Device designation										
36	3	KT-175558		Connector 3-pole Female			=T3+P6-A8.1, =T3+P6-A11.1										
37	3	KT-175559		Connector 3-pole Male			=T3+P2-X54.1, =T3+P4-X20.1, =T3+P5-X15.1										
38	6	KT-175560		Connector 2-pole small Male			=T3+P2-X54.2, =T3+P4-X20.2, =T3+P5-X15.2										
							=T3+EXT-X81.2, =T3+P1-X51.1, =T3+P4-X4.2, =T3+P4-X44.2,										
							=T3+P4-X68.2, =T3+P4-X71.2										
39	6	KT-175561		Connector 4-pole Male			=T3+EXT-X21.2, =T3+P1-X31.2, =T3+P1-X49.1, =T3+P2-X56.2,										
							=T3+P3-X17.1, =T3+P5-X32.2										
40	4	KT-175562		Connector 2-pole small			=T3+EXT-X81.1, =T3+P1-X51.2, =T3+P4-X4.1, =T3+P4-X68.1										
41	6	KT-175563		Connector 4-pole Female			=T3+EXT-X21.1, =T3+P1-X31.1, =T3+P1-X49.2, =T3+P2-X56.1,										
							=T3+P3-X17.2, =T3+P5-X32.1										
42	1	KT-239802		Flash light		ECCO Group	=T3+EXT-P22										
43	1	KT-240000		Wiper Back			=T3+P3-M3										
44	1	KT-240001		Wiper Front			=T3+P1-M4										
45	15	KT-240014					=T3+P2-S1, =T3+P2-S2, =T3+P2-S3, =T3+P2-S4, =T3+P2-S5,										
							=T3+P2-S7, =T3+P2-S8, =T3+P2-S9, =T3+P2-S11, =T3+P2-S12,										
							=T3+P2-S15, =T3+P2-S16, =T3+P2-S17, =T3+P2-S18, =T3+P2-S20										
46	1	KT-240025		Flashing relay			=T3+P4-K7										
47	5	KT-240026		Switch Relay 5-pin			=T3+P4-K9, =T3+P4-K10, =T3+P4-K11, =T3+P4-K12, =T3+P4-K13										
48	1	KT-240028		Switch Relay 5-pin			=T3+P4-K14										
49	7	KT-240029		Relay with fuse 4-pin			=T3+P4-K1, =T3+P4-K2, =T3+P4-K3, =T3+P4-K4, =T3+P4-K5,										
							=T3+P4-K15, =T3+P4-K16										
50	2	KT-240031		Switch Relay 5-pin			=T3+P4-K6, =T3+P4-K8										
51	1	KT-292490		EasyStart GSM		Eberspächer	=T3+P4-K24										
52	1	KT-765029		DRC12-70P		Zeppelin Sverige AB	=T3+P1-X69										
53	1	KT-765030		HDP24-24-19PE		Zeppelin Sverige AB	=T3+P1-X70										
54	1	KT-785070		Connector 12-pole			=T3+P3-LX10										
D	Valves	2022-09-06	GS	date	2023-01-30	Model: Terri 3 Wheels				TERRI		Drawing nr: 702831		=T3			
E	Radio/Eber	2022-01-27	CV	User	CV					0476-70 97 90		Bäckgatan 32		Bill of Material		Sheet 7	
F	AngleSens	2023-01-30	CV	Proved	RH					www.terri.se		34322 Älmhult				62 Sh.	
Status	change	date	name	Standard	InevTC	Origin	F (702832)	Repl. f.	E (702832)								
1		2		3		4		5		6		7		8			

bill of material																
Higher Level Assignment:Location designation:																
Pos.	No.	Article Number			Description			manufacturer	Device designation							
55	2	KT-785071			Connector 12-pole				=T3+EXT-X59, =T3+P3-LX11							
56	10	KT-785177			Connector 8-pole 8x0,25 open ended M8				=T3+P3-LX14, =T3+P4-ARB.1, =T3+P6-A1.1, =T3+P6-A2.1, =T3+P6-A3.1, =T3+P6-A4.1, =T3+P6-A5.1, =T3+P6-A6.1, =T3+P6-A9.1, =T3+P6-A10.1							
57	1	KT-785178			Connector 12-pole				=T3+P3-LX9							
58	1	KT-785179			Log Mate 510 Display			Log Max	=T3+P3-P1							
59	1	KT-785200							=T3+P3-W3							
60	1	KT-790553			Hydraulic oil filter pressure indicator,				=T3+EXT-B12							
61	1	KT-790595			Potentiometer			RS-Component	=T3+P2-R14							
62	12	KT-790629-3			Valve Magnet 08 12v				=T3+EXT-Q1, =T3+EXT-Q2, =T3+EXT-Q3, =T3+EXT-Q4, =T3+EXT-Q5, =T3+EXT-Q6, =T3+EXT-Q7, =T3+EXT-Q8, =T3+EXT-Q9, =T3+EXT-Q10, =T3+EXT-Q11, =T3+EXT-Q12							
63	1	KT-790668			Connector 8-pin Female x2 Brown/Black IS				=T3+P1-X45							
64	1	KT-790785							=T3+P2-S11							
65	1	KT-790832			AC filter sensor				=T3+EXT-B14							
66	2	KT-790852			AC fan condenser				=T3+EXT-M10.1, =T3+EXT-M10.2							
67	1	KT-790862							=T3+P2-S18							
68	1	KT-790863			Ignition switch				=T3+P2-S27							
69	1	KT-790864							=T3+P2-S27							
70	1	KT-790880			Emergency stop 2-pol			KGK	=T3+P2-S26							
71	1	KT-790915-3			Pump control				=T3+EXT-M11							
72	5	KT-790920			Pressure transmitter				=T3+EXT-B15, =T3+EXT-B16, =T3+EXT-B17, =T3+EXT-B18, =T3+EXT-B19							
73	1	KT-790936			Washer fluid pump				=T3+EXT-M12							
74	1	KT-790948			2XUSB ports				=T3+P2-X46							
75	1	KT-790949			9-pole Connector Male				=T3+EXT-X58.2							
D	Valves	2022-09-06	GS	date	2023-01-30		Model: Terri 3 Wheels			TERRI 0476-70 97 90 www.terri.se		Drawing nr: 702831		=T3		
E	Radio/Eber	2022-01-27	CV	User	CV							Bäckgatan 32		Sheet 8		
F	AngleSens	2023-01-30	CV	Proved	RH							34322 Älmhult		62 Sh.		
Status	change	date	name	Standard	InevTC		Origin	F (702832)	Repl. f.	E (702832)						
1		2		3		4		5		6		7		8		

bill of material

Higher Level Assignment:			Location designation:		
Pos.	No.	Article Number	Description	manufacturer	Device designation
76	1	KT-790976	Hydraulic oil sensor		=T3+EXT-B11
77	1	KT-791003	Warming food box		=T3+P4-E2
78	1	KT-791012-2	Connector 12-pole to MC018	Danfoss	=T3+EXT-X83.2
79	1	KT-791014	9-pole Connector Female		=T3+EXT-X58.1
80	2	KT-791043			=T3+P2-S17, =T3+P2-S20
81	4	KT-791045-1	Worklight, LED 60 420 Hanging	Nordiclights	=T3+EXT-P15, =T3+EXT-P16, =T3+EXT-P17, =T3+EXT-P18
82	1	KT-791057	EasyStart Web		=T3+P4-K25
83	2	KT-791059-2			=T3+P3-W1, =T3+P3-W2
84	1	KT-791060	Switch 2-pole x2 0-I	KGK	=T3+P2-S18
85	4	KT-791062	Pedal big black	Caldaro	=T3+P6-R10, =T3+P6-R11, =T3+P6-R12, =T3+P6-R13
86	1	KT-791097	Calearo Heavy duty radio	Calearo	=T3+P1-P8
87	1	KT-791099	Verteller/Splitter	Calearo	=T3+P1-X48
88	2	KT-791103	Parking lamp Led		=T3+EXT-P27, =T3+EXT-P28
89	1	KT-791105	Fuel level sensor		=T3+EXT-B13
90	1	KT-791109	Antenna 34D	Calearo	=T3+EXT-X50
91	4	KT-791117	Worklight, LED 110F		=T3+EXT-P30, =T3+EXT-P33, =T3+EXT-P39, =T3+EXT-P40
92	2	KT-791118	Front lamp side of grill		=T3+EXT-P25, =T3+EXT-P26
93	2	KT-791146	Worklight, LED Pictor 620	Nordiclights	=T3+EXT-P23, =T3+EXT-P24
94	2	KT-791173	Battery 100Ah		=T3+EXT-G1, =T3+EXT-G2
95	2	KT-791194	Calearo Heavy duty Speaker		=T3+P1-H1, =T3+P1-H2
96	1	KT-791203-1			=T3+P2-K18
97	2	KT-791203-2	Connector DTM Series; 12 positions; plug	Deutsch	=T3+P2-K18, =T3+P2-X10
98	1	KT-791204	XL104-0000	Danfoss	=T3+P4-K19
99	2	KT-791204-1	Connector DTM Series; 50 positions; rece	Deutsch	=T3+P4-K19, =T3+P4-X11
100	2	KT-791204-2	Connector DTM Series; 50 positions; rece	Deutsch	=T3+P4-K19, =T3+P4-X12
101	8	KT-791206	Connector DT Series 6p	Abkati	=T3+EXT-X132, =T3+EXT-X133, =T3+EXT-X134, =T3+EXT-X135,

A
B
C
D
E
F

F

bill of material											
Higher Level Assignment:						Location designation:					
Pos.	No.	Article Number		Description		manufacturer	Device designation				
118	1	KT-2138278		Connection		Deutch	=T3+EXT-W77, =T3+EXT-W78, =T3+EXT-W81, =T3+P3-W33,				
119	11	KT-2719190		Connector DT Series 4p		Abkati	=T3+P4-W7, =T3+P4-W46, =T3+P4-W49				
							=T3+P2-X53				
							=T3+EXT-X75, =T3+EXT-X76, =T3+EXT-X77, =T3+EXT-X79,				
							=T3+EXT-X80, =T3+P4-X63.1, =T3+P4-X64.1, =T3+P4-X65.1,				
							=T3+P4-X66.1, =T3+P4-X67.1, =T3+P5-X35.1				
120	4	KT-2719191		Connector DT Series 4p		Abkati	=T3+P4-X63.2, =T3+P4-X64.2, =T3+P4-X65.2, =T3+P4-X66.2				
121	3	KT-2719194		Connector DT Series 2p		Abkati	=T3+EXT-X78, =T3+EXT-X86, =T3+EXT-X87				
122	1	KT-2719196		Connector DT Series 6p		Abkati	=T3+P6-X73.1				
123	1	KT-2719198		Connector DT Series 6p		Abkati	=T3+P6-X73.2				
124	1	KT-3791203		DM430E-0-1-1-0		Danfoss	=T3+P2-K18				
125	1	KT-4690135		Red Warning light		Abkati	=T3+P4-P7				
126	1	KT-7186873		Connector 3-pole		Elfa	=T3+EXT-X85				
127	1	KT-8002180		Connector CPC 16pol Male		Elfa	=T3+P4-X14.1				
128	1	KT-11052622		Rectifier diode		Elfa	=T3+P4-R1				
129	1	KT-13766289		Beep sensor		Abkati	=T3+P4-H3				
130	2	KT-14347282		Connector 16-pole small			=T3+P6-A13.2, =T3+P6-A13.1				
131	2	KT-14347340		Connector 16-pole big			=T3+EXT-A12.2, =T3+EXT-A12.1				
132	1	KT-14450144		Connector CPC 16pol Female		Elfa	=T3+P4-X14.2				
133	39	KT-30012572		Feed Through Terminal Block, UK Series ,		RS-Component	=T3+P4-X1(39)				
134	6	KT-30049332		Network cable 3x0,5mm2 Unshielded		Lapp	=T3+EXT-W52, =T3+EXT-W53, =T3+P4-W28, =T3+P4-W29,				
							=T3+P4-W30, =T3+P4-W31				
135	1	KT-30049333		Network cable 4x0,5mm2 Unshielded		Lapp	=T3+P4-W32				
136	2	KT-30049334		Network cable 5x0,5mm2 Unshielded		Lapp	=T3+EXT-W54, =T3+EXT-W55				
137	10	KT-30049339		Network cable 7x0,5mm2 Unshielded		Lapp	=T3+EXT-W51, =T3+EXT-W73, =T3+EXT-W80, =T3+EXT-W83,				
							=T3+EXT-W84, =T3+EXT-W85, =T3+EXT-W86, =T3+EXT-W87,				
D	Valves	2022-09-06	GS	date	2023-01-30	Model: Terri 3 Wheels		TERRI		Drawing nr: 702831	=T3
E	Radio/Eber	2022-01-27	CV	User	CV			0476-70 97 90		Bäckgatan 32	Sheet 11
F	AngleSens	2023-01-30	CV	Proved	RH			www.terri.se		34322 Älmhult	62 Sh.
Status	change	date	name	Standard	InevTC	Origin	F (702832)	Repl. f.	E (702832)		
1		2		3		4		5		6	

	1	2	3	4	5	6	7	8
A	bill of material							
	Higher Level Assignment:			Location designation:				
	Pos.	No.	Article Number	Description	manufacturer	Device designation		
B	138	2	KT-30058503			=T3+EXT-W88, =T3+P4-W42		
	139	1	KT-30058608			=T3+P4-X1(2)		
	140	4	KT-30088512	Resistance 1k Ohm	Elfa	=T3+P4-X1		
	141	2	KT-30093134	Grey Cable 4x0,5		=T3+P4-R5, =T3+P4-R9, =T3+P1-R15, =T3+P4-R4		
	142	1	KT-45074550	Spinning orange warning light		=T3+P5-W10, =T3+P5-W11		
C	143	1	KT-53249050	Tank socket		=T3+EXT-P21		
	144	2	KT-5201152003			=T3+EXT-X60		
	145	5	KT-5201299040	Flat fuse 40A		=T3+EXT-F1, =T3+EXT-F2		
	146	3	KT-5201299060	Flat fuse 60A		=T3+EXT-F1, =T3+EXT-F2, =T3+P4-F5, =T3+P4-F7, =T3+P4-F10		
	147	2	KT-5201498030	Flat fuse 30A		=T3+P1-F22, =T3+P4-F3, =T3+P4-F4		
	148	8	KT-5201498900			=T3+P4-F6, =T3+P4-F8		
D	149	1	KT-T50127			=T3+P4-F3, =T3+P4-F4, =T3+P4-F5, =T3+P4-F6, =T3+P4-F7,		
	150	1	KT-T50128			=T3+P4-F8, =T3+P4-F9, =T3+P4-F10		
	151	1	KT-T50550			=T3+P2-S7		
	152	1	KT-TBSK4WD	S Connector S175	Abkati	=T3+P2-S8		
	153	1	Smal Pedal Cable 1	Black Cable (2x0,75)		=T3+P2-S9		
	154	1	Smal Pedal Cable 2	Black Cable (4x0,75)		=T3+EXT-X61		
E	155	1	T50032			=T3+P6-W26		
	156	1	T50033			=T3+P6-W27		
	157	1	T50125	Switch 2-pole 0-I	KGK	=T3+P2-S12		
	158	2	T50153	Switch 3-pole I-0-II	KGK	=T3+P2-S16		
	159	1	T50266	Grey Cable 3x1,5		=T3+P2-S7		
	160	1	T50330	Switch 3-pole 0-I-II	KGK	=T3+P2-S8, =T3+P2-S17		
F	161	2	T50462	Indicator arm, pair	Olssons Parts	=T3+P5-W9		
						=T3+P2-S16		
						=T3+EXT-P19, =T3+EXT-P20		
D	Valves	2022-09-06	GS	date	2023-01-30	Model: Terri 3 Wheels		=T3
E	Radio/Eber	2022-01-27	CV	User	CV			
F	AngleSens	2023-01-30	CV	Proved	RH			
	Status	change	date	name	Standard	InevTC	Origin F (702832)	Repl. f. E (702832)
	1	2	3	4	5	6	7	8
	TERRI		0476-70 97 90		www.terri.se		Drawing nr: 702831	
	Bäckgatan 32		34322 Älmhult		Bill of Material		Sheet 12	62 Sh.

bill of material

Higher Level Assignment:			Location designation:		
Pos.	No.	Article Number	Description	manufacturer	Device designation
162	1	T50545	Switch 3-pole x2 0-I-II	KGK	=T3+P2-S2
163	2	T50549	Pedal small grey		=T3+P6-S31, =T3+P6-S32
164	1	T50566	Black Cable 5x0,75		=T3+EXT-W76
165	4	T50578	Resistance 120 Ohm	Elfa	=T3+EXT-R7, =T3+EXT-R8, =T3+P4-R2, =T3+P4-R3
166	8	T4299185-1	Switch 2-pole 0-I	KGK	=T3+P2-S1, =T3+P2-S3, =T3+P2-S4, =T3+P2-S5, =T3+P2-S9, =T3+P2-S11, =T3+P2-S15, =T3+P2-S20
167	1	T4299190			=T3+P2-S2
168	4	T4299191			=T3+P2-S3, =T3+P2-S4, =T3+P2-S5, =T3+P2-S15
169	1	TE-702606			=T3+P4-F9
170	2	TE-720143	Light package on trailer "Skövde"		=T3+EXT-P29, =T3+EXT-P32
171	2	TE-720174	Flashlight on trailer		=T3+EXT-P31, =T3+EXT-P34
172	1	TE-791059	Inductive sensor	OEM Automatic	=T3+P3-B1
173	1	TM-910177	Grey Cable 7x1,5		=T3+EXT-W79
174	12	Valve Cable 2x0.75	Black cable 2x0.75 ink.Valve kit		=T3+EXT-W56, =T3+EXT-W57, =T3+EXT-W58, =T3+EXT-W59, =T3+EXT-W60, =T3+EXT-W61, =T3+EXT-W62, =T3+EXT-W63, =T3+EXT-W64, =T3+EXT-W65, =T3+EXT-W66, =T3+EXT-W67
175	7	Valve Cable 4x0.75	Black cable 4x0.75 ink.Valve kit		=T3+EXT-W97, =T3+EXT-W98, =T3+EXT-W99, =T3+EXT-W100, =T3+EXT-W108, =T3+EXT-W109, =T3+EXT-W110
176	0	FLR4Y-B-0.5.GN/RD	PA automobile cable, conductor:Cu-ETP1,	LEONI	
177	0	FLR4Y-B-0.5-BK	PA automobile cable, conductor:Cu-ETP1,	LEONI	
178	0	FLR4Y-B-0.5-BN	PA automobile cable, conductor:Cu-ETP1,	LEONI	
179	0	FLR4Y-B-0.5-BU	PA automobile cable, conductor:Cu-ETP1,	LEONI	
180	0	FLR4Y-B-0.5-BU/BK	PA automobile cable, conductor:Cu-ETP1,	LEONI	
181	0	FLR4Y-B-0.5-BU/RD	PA automobile cable, conductor:Cu-ETP1,	LEONI	
182	0	FLR4Y-B-0.5-BU/WH	PA automobile cable, conductor:Cu-ETP1,	LEONI	
183	0	FLR4Y-B-0.5-BU/YE	PA automobile cable, conductor:Cu-ETP1,	LEONI	


bill of material

Higher Level Assignment:			Location designation:		
Pos.	No.	Article Number	Description	manufacturer	Device designation
184	0	FLR4Y-B-0.5-GN	PA automobile cable, conductor:Cu-ETP1,	LEONI	
185	0	FLR4Y-B-0.5-GN/BK	PA automobile cable, conductor:Cu-ETP1,	LEONI	
186	0	FLR4Y-B-0.5-PK/BK	PA automobile cable, conductor:Cu-ETP1,	LEONI	
187	0	FLR4Y-B-0.5-PK/WH	PA automobile cable, conductor:Cu-ETP1,	LEONI	
188	0	FLR4Y-B-0.5-RD	PA automobile cable, conductor:Cu-ETP1,	LEONI	
189	0	FLR4Y-B-0.5-RD/BK	PA automobile cable, conductor:Cu-ETP1,	LEONI	
190	0	FLR4Y-B-0.5-WH	PA automobile cable, conductor:Cu-ETP1,	LEONI	
191	0	FLR4Y-B-0.5-YE	PA automobile cable, conductor:Cu-ETP1,	LEONI	
192	0	FLR4Y-B-0.5-YE/RD	PA automobile cable, conductor:Cu-ETP1,	LEONI	
193	0	FLR4Y-B-0.25-GN	PA automobile cable, conductor:Cu-ETP1,	LEONI	
194	0	FLR4Y-B-0.25-GY	PA automobile cable, conductor:Cu-ETP1,	LEONI	
195	0	FLR4Y-B-0.25-OR	PA automobile cable, conductor:Cu-ETP1,	LEONI	
196	0	FLR4Y-B-0.25-RD	PA automobile cable, conductor:Cu-ETP1,	LEONI	
197	0	FLR4Y-B-0.25-WH	PA automobile cable, conductor:Cu-ETP1,	LEONI	
198	0	FLR4Y-B-0.25-YE	PA automobile cable, conductor:Cu-ETP1,	LEONI	
199	0	FLR4Y-B-0.75-BK	PA automobile cable, conductor:Cu-ETP1,	LEONI	
200	0	FLR4Y-B-0.75-BN	PA automobile cable, conductor:Cu-ETP1,	LEONI	
201	0	FLR4Y-B-0.75-BU	PA automobile cable, conductor:Cu-ETP1,	LEONI	
202	0	FLR4Y-B-0.75-GN	PA automobile cable, conductor:Cu-ETP1,	LEONI	
203	0	FLR4Y-B-0.75-GY	PA automobile cable, conductor:Cu-ETP1,	LEONI	
204	0	FLR4Y-B-0.75-OR	PA automobile cable, conductor:Cu-ETP1,	LEONI	
205	0	FLR4Y-B-0.75-RD	PA automobile cable, conductor:Cu-ETP1,	LEONI	
206	0	FLR4Y-B-0.75-VI	PA automobile cable, conductor:Cu-ETP1,	LEONI	
207	0	FLR4Y-B-0.75-WH	PA automobile cable, conductor:Cu-ETP1,	LEONI	
208	0	FLR4Y-B-0.75-YE	PA automobile cable, conductor:Cu-ETP1,	LEONI	
209	0	FLR4Y-B-1.5-BK	PA automobile cable, conductor:Cu-ETP1,	LEONI	


bill of material

Higher Level Assignment:			Location designation:		
Pos.	No.	Article Number	Description	manufacturer	Device designation
210	0	FLR4Y-B-1.5-BN	PA automobile cable, conductor:Cu-ETP1,	LEONI	
211	0	FLR4Y-B-1.5-BU	PA automobile cable, conductor:Cu-ETP1,	LEONI	
212	0	FLR4Y-B-1.5-BU/BK	PA automobile cable, conductor:Cu-ETP1,	LEONI	
213	0	FLR4Y-B-1.5-BU/WH	PA automobile cable, conductor:Cu-ETP1,	LEONI	
214	0	FLR4Y-B-1.5-GN	PA automobile cable, conductor:Cu-ETP1,	LEONI	
215	0	FLR4Y-B-1.5-GN/BK	PA automobile cable, conductor:Cu-ETP1,	LEONI	
216	0	FLR4Y-B-1.5-GY	PA automobile cable, conductor:Cu-ETP1,	LEONI	
217	0	FLR4Y-B-1.5-GY/BK	PA automobile cable, conductor:Cu-ETP1,	LEONI	
218	0	FLR4Y-B-1.5-OR	PA automobile cable, conductor:Cu-ETP1,	LEONI	
219	0	FLR4Y-B-1.5-RD	PA automobile cable, conductor:Cu-ETP1,	LEONI	
220	0	FLR4Y-B-1.5-VI	PA automobile cable, conductor:Cu-ETP1,	LEONI	
221	0	FLR4Y-B-1.5-VI/BK	PA automobile cable, conductor:Cu-ETP1,	LEONI	
222	0	FLR4Y-B-1.5-WH	PA automobile cable, conductor:Cu-ETP1,	LEONI	
223	0	FLR4Y-B-1.5-WH/BK	PA automobile cable, conductor:Cu-ETP1,	LEONI	
224	0	FLR4Y-B-1.5-YE	PA automobile cable, conductor:Cu-ETP1,	LEONI	
225	0	FLR4Y-B-2.5-BK	PA automobile cable, conductor:Cu-ETP1,	LEONI	
226	0	FLR4Y-B-2.5-BU	PA automobile cable, conductor:Cu-ETP1,	LEONI	
227	0	FLR4Y-B-2.5-GY	PA automobile cable, conductor:Cu-ETP1,	LEONI	
228	0	FLR4Y-B-2.5-RD	PA automobile cable, conductor:Cu-ETP1,	LEONI	
229	0	FLR4Y-B-2.5-WH	PA automobile cable, conductor:Cu-ETP1,	LEONI	
230	0	FLR4Y-B-4.0-RD	PA automobile cable, conductor:Cu-ETP1,	LEONI	
231	0	FLR4Y-B-6.0-BK	PA automobile cable, conductor:Cu-ETP1,	LEONI	
232	0	FLR4Y-B-6.0-RD	PA automobile cable, conductor:Cu-ETP1,	LEONI	
233	0	FLR4Y-B-16.0-BK	PA automobile cable, conductor:Cu-ETP1,	LEONI	
234	0	FLR4Y-B-25.0-BK	PA automobile cable, conductor:Cu-ETP1,	LEONI	
235	0	FLR4Y-B-25.0-OR	PA automobile cable, conductor:Cu-ETP1,	LEONI	

EXT




FRONT CABIN




LEFT CABIN

D	Valves	2022-09-06	GS	date	2023-01-30	Model: Terri 3 Wheels				TERRI 0476-70 97 90 www.terri.se	Drawing nr: 702831		=T3		
E	Radio/Eber	2022-01-27	CV	User	CV						OUTSIDE VIEW		Sheet 17 62 Sh.		
F	AngleSens	2023-01-30	CV	Proved	RH										+EXT
Status	change	date	name	Standard	InevTC	Origin	F (702832)	Repl. f.	E (702832)	Bäckgatan 32 34322 Älmhult					

EXT




RIGHT CABIN



BACK CABIN

D	Valves	2022-09-06	GS	date	2023-01-30	Model: Terri 3 Wheels			TERRI 0476-70 97 90 www.terri.se		Drawing nr: 702831		=T3	
E	Radio/Eber	2022-01-27	CV	User	CV						+EXT			
F	AngleSens	2023-01-30	CV	Proved	RH						Bäckgatan 32		OUTSIDE VIEW	Sheet 18
Status	change	date	name	Standard	InevTC	Origin	F (702832)	Repl. f.			E (702832)	34322 Älmhult		62 Sh.



- +EXT
- 1

Q1

2

Q2

3

Q3

4

Q4

5

Q5

6

Q6

7

Q7

8

Q8

9

Q9

10

Q10

11

Q11

12

Q12

13

B11

14

B12

15

B13

16

B14

17

P25

18

P26

19

M12

20

H5

21

P29

22

P30

23

P31

24

P32

25

P33

26

P34

27

P37

28

P38

29

P39

30

P40

31

X82

32

Q14

33

Q15

34

Q16

35

Q17

36

Q18

37

Q19

38

Q20

39

Q21

40

B15

41

B16

42

B17

43

B18

44

B19

45

M11
- s.124 Frame lock [ML]

s.124 Half displacement [V]

s.124 Free Wheel [FW]

s.124 Brake Front [B2]

s.124 Brake Rear [B1]

s.124 Refill wheel motor X [X]

s.125 Ladder up/down [ST]

s.125 Fuel valve diesel [DI]

s.125 Bypass oil cooling [BP]

s.125 Extra oil cooling [Optional]

s.125 Thermostat cooling hydraulic oil [TK]

s.125 Stub treatment pluss [UR]

s.126 Hydraulic oil level sensor and temperature sensor

s.126 Hydraulic oil filter sensor

s.126 Fuel level sensor

s.127 AC filter sensor

s.128 Left front light [Optional]

s.128 Right front light [Optional]

s.128 Washer fluid pump

s.128 Horn

s.129 Left Banker Position, Brake, Left Flasher light [Optional]

s.129 Worklight Banker [Optional]

s.129 Flash light [Optional]

s.129 Right Banker Position, Brake, Right Flasher light [Optional]

s.129 Work light Banker [Optional]

s.129 Flash light [Optional]

s.129 Worklight Crane foot [Optional]

s.129 Worklight Crane foot [Optional]

s.129 Worklight behind Banker [Optional]

s.129 Worklight behind Banker [Optional]

s.129 Trailer socket [Optional]

s.130 Drive valve front wagon (LF boggi front) (F1)

s.130 Drive valve front wagon (LF boggi back) (F2)

s.131 Drive valve front wagon (RF boggi front) (F3)

s.131 Drive valve front wagon (RF boggi back) (F4)

s.132 Drive valve back wagon (LB boggi front) (B5)

s.132 Drive valve back wagon (LB boggi back) (B6)

s.133 Drive valve back wagon (RB boggi front) (B7)

s.133 Drive valve back wagon (RB boggi back) (B8)

s.137 Pressure transmitter Pump pressure

s.137 Pressure transmitter LS drive forward


s.137 Pressure transmitter LS drive backward

s.137 Pressure transmitter LS crane

s.137 Pressure transmitter Servo pressure

s.137 Pump

PANEL INSIDE
CABIN




- +P1
- 1 H1 s.111 Left speaker
 - 2 H2 s.111 Right speaker
 - 3 P8 s.111 Radio
- +P2
- 4 S28 s.114 Fire test button
 - 5 P2 s.114 Fire protection active light
 - 6 X47 s.111 12 dc socket
 - 7 S27 s.110 Ignition key switch
 - 8 S1 s.103 Interior lighting
 - 9 S2 s.103 Travel lighting
 - 10 S3 s.103 Work lighting [Optional]
 - 11 S4 s.103 Work lighting [Optional]
 - 12 S5 s.103 Work lighting [Optional]
 - 13 S6 s.103 Spare
 - 14 S7 s.104 Horn
 - 15 S8 s.104 Turn signal
 - 16 S9 s.104 Seat heater
 - 17 S10 s.104 Spare
 - 18 S11 s.104 Rotatiion warning light
 - 19 S12 s.104 Windshield wiper
 - 20 K18 s.137 Screen machine computer
 - 21 P7 s.109 Alarm light
 - 22 X46 s.111 Usb socket
 - 23 R14 s.110 Potentiometer
 - 24 S26 s.112 Emergency stop
 - 25 S13 s.105 Spare
 - 26 S14 s.105 Spare
 - 27 S15 s.105 Work lighting [Optional]
 - 28 S16 s.105 Windscreen wipers and washers
 - 29 S17/S20 s.105 Gear control
 - 30 S18 s.105 Presence switch
 - 31 K23 s.120 Ecc, control unit
 - 32 K26 s.119 Easystart pro
 - 33 P6 s.114 Fire alert light
 - 34 S29/S30 s.119 Easystart web button [Optional]
- +P3
- 35 P9 s.115 Reversing camera [Optional]
 - 36 P1 s.113 Display computer logmate 510 [Optional]
 - 37 E2 s.115 Food heater [Optional]

D	Valves	2022-09-06	GS	date	2023-01-30	Model: Terri 3 Wheels			TERRI 0476-70 97 90 www.terri.se	Drawing nr: 702831		=T3	
E	Radio/Eber	2022-01-27	CV	User	CV								
F	AngleSens	2023-01-30	CV	Proved	RH								
Status	change	date	name	Standard	InevTC	Origin	F (702832)	Repl. f.	E (702832)	Bäckgatan 32 34322 Älmhult		PANEL BOARD VIEW	
1		2		3		4		5		6		7	
												8	
												Sheet 20	
												62 Sh.	


CABIN PANEL

P4



- +P4
- 1 F21 s.114 Extingusher
 - 2 F20 s.114 Pressure tank 24bar
 - 3 X21 s.118 Airconditioning
 - 4 U1 s.111 24V-12V DC Converter
 - 5 K19 s.137 XL104-0000 Computer
 - 6 x s.119 Eberspächer Fuses F11-F13
 - 7 ARB s.123 Connector for work lights
 - 8 X6 s.115 Connector for wipers
 - 9 X25 s.118 Connector for ECC
 - 10 K24/25 s.119 Eberspächer GSM or WEBB [Optional]
 - 11 K1 s.101 Relay with 7,5A fuse for work light front and back
 - 12 K2 s.101 Relay with 7,5A fuse for work light sides and [Optional back]
 - 13 K3 s.101 Relay with 7,5A fuse for work light cab side down and sides
 - 14 K4 s.101 Relay with 7,5A fuse for work light on crane and extra lights
 - 15 K5 s.101 Relay with 20A fuse for condensation fan
 - 16 K6 s.101 Alternating relay for wipers
 - 17 K7 s.101 Alternating relay for indicator lights
 - 18 K8 s.101 Alternating relay for fuel pump
 - 19 K9 s.101 Eberspächer help relay
 - 20 K10 s.102 Relay for ignition limited
 - 21 K11 s.102 Relay for ignition permanent
 - 22 K12 s.102 Relay for ignition
 - 23 K13 s.102 Relay for ECU
 - 24 K14 s.102 Relay for start
 - 25 K15 s.102 Relay with 20A fuse for ECC R1
 - 26 K16 s.102 Relay with 5A fuse for ECC R2
 - 27 F3 s.110 Fuse F3 60A for fuses 50-55
 - 28 F4 s.110 Fuse F4 60A for ignition limited
 - 29 F5 s.110 Fuse F5 40A for ignition permanent
 - 30 F6 s.110 Fuse F6 30A for ignition
 - 31 F7 s.110 Fuse F7 40A for ECU
 - 32 F8 s.110 Fuse F8 30A for start
 - 33 F9 s.110 Fuse F9 xA
 - 34 F10 s.110 Fuse F10 40A for ECC and fuses F11-13 and F31
 - 35 X14 s.116 Connector for chair
 - 36 x s.112-113 Logmax computer [Optional]
 - 37 x s.106-107 Terminals 1-24
 - 38 x s.108-109 Fuse Terminals 31-56

CABIN FLOOR
INSIDE





P6

P5


CHAIR


	+P6		
1	R12	s.121 Brake pedal (Forward)	
2	R13	s.121 Gas pedal (Forward)	
3	S31	s.121 Waist lock pedal	
4	*		
5	R10	s.121 Brake pedal (Back)	
6	R11	s.121 Gas pedal (Back)	
7	S32	s.121 Inversion pedal	
8	A1	s.124 A1 : Valves	
9	A2	s.125 A2 : Valves	
10	A3	s.126 A3 : Sensors	
11	A4	s.127 A4 : Cooling (AC)	
12	A5	s.128 A5 : Light, pump horn	
13	A6	s.129 A6 : Trailer	
14	A7	s.130 A7 : Driving valves (LF)	
15	A8	s.131 A8 : Driving valves (RF)	
16	A9	s.132 A9 : Driving valves (LB)	
17	A10	s.133 A10 : Driving valves (RB)	
18	A11	s.134 A11 : Extra	
19	A12	s.135 A12 : Cat motor	
20	A13	s.136 A13 : Hydraulik sensors	
21	A14	: Implementation for, 1pce 16mm orange and 1pce 6mm red	







D	Valves	2022-09-06	GS	date	2023-01-30	Model: Terri 3 Wheels			TERRI 0476-70 97 90 www.terri.se		Drawing nr: 702831		=T3	
E	Radio/Eber	2022-01-27	CV	User	CV								+P4	
F	AngleSens	2023-01-30	CV	Proved	RH									
Status	change	date	name	Standard	InevTC	Origin	F (702832)	Repl. f.	E (702832)			Bäckgatan 32 34322 Älmhult	RELAY K1-K9	Sheet 101 62 Sh.







D	Valves	2022-09-06	GS	date	2023-01-30	Model: Terri 3 Wheels					TERRI 0476-70 97 90 www.terri.se		Drawing nr: 702831		=T3	
E	Radio/Eber	2022-01-27	CV	User	CV										+P2	
F	AngleSens	2023-01-30	CV	Proved	RH											
Status	change	date	name	Standard	InevTC	Origin	F (702832)	Repl. f.	E (702832)			Bäckgatan 32 34322 Älmhult	SWITCHES S7-S12		Sheet	104
															62 Sh.	








D	Valves	2022-09-06	GS	date	2023-01-30	Model: Terri 3 Wheels				TERRI 0476-70 97 90 www.terri.se		Drawing nr: 702831		=T3	
E	Radio/Eber	2022-01-27	CV	User	CV									+P4	
F	AngleSens	2023-01-30	CV	Proved	RH										
Status	change	date	name	Standard	InevTC	Origin	F (702832)	Repl. f.	E (702832)			Bäckgatan 32 34322 Älmhult	TERMINALS X1:1-12		Sheet 106 62 Sh.














D	Valves	2022-09-06	GS	date	2023-01-30	Model: Terri 3 Wheels			TERRI 0476-70 97 90 www.terri.se		Drawing nr: 702831		=T3	
E	Radio/Eber	2022-01-27	CV	User	CV								+P1	
F	AngleSens	2023-01-30	CV	Proved	RH						Bäckgatan 32		Sheet 111	
Status	change	date	name	Standard	InevTC	Origin	F (702832)	Repl. f.	E (702832)	RADIO, 12V SOCKET AND USB		62 Sh.		



MECHANICAL SAW CLAMP



D	Valves	2022-09-06	GS	date	2023-01-30	Model: Terri 3 Wheels				TERRI 0476-70 97 90 www.terri.se	Drawing nr: 702831			=T3	
E	Radio/Eber	2022-01-27	CV	User	CV									+P3	
F	AngleSens	2023-01-30	CV	Proved	RH										
Status	change	date	name	Standard	InevTC	Origin	F (702832)	Repl. f.	E (702832)	Bäckgatan 32 34322 Älmhult		LOGMAX K11, K12, K13		Sheet 113 62 Sh.	



D	Valves	2022-09-06	GS	date	2023-01-30
E	Radio/Eber	2022-01-27	CV	User	CV
F	AngleSens	2023-01-30	CV	Proved	RH
Status	change	date	name	Standard	InevTC

Model: Terri 3 Wheels

Origin F (702832) Repl. f. E (702832)




TERRI
0476-70 97 90
www.terri.se


Drawing nr: 702831


Bäckgatan 32
34322 Älmhult

FIRE SAFETY SYSTEM


=T3	Sheet 114
=P4	62 Sh.







D	Valves	2022-09-06	GS	date	2023-01-30	Model: Terri 3 Wheels			TERRI 0476-70 97 90 www.terri.se	Drawing nr: 702831		=T3	
E	Radio/Eber	2022-01-27	CV	User	CV							+P4	
F	AngleSens	2023-01-30	CV	Proved	RH					Bäckgatan 32	MECANIL JOYSTICK		Sheet 117
Status	change	date	name	Standard	InevTC	Origin	F (702832)	Repl. f.	E (702832)	34322 Älmhult			62 Sh.



D	Valves	2022-09-06	GS	date	2023-01-30
E	Radio/Eber	2022-01-27	CV	User	CV
F	AngleSens	2023-01-30	CV	Proved	RH
Status	change	date	name	Standard	InevTC

Model: Terri 3 Wheels				
Origin	F (702832)	Repl. f.	E (702832)	




TERRI
0476-70 97 90
www.terri.se

Drawing nr: 702831


Bäckgatan 32
34322 Älmhult


AC UNIT




=T3	Sheet 118 62 Sh.
+P4	






D	Valves	2022-09-06	GS	date	2023-01-30	Model: Terri 3 Wheels			TERRI 0476-70 97 90 www.terri.se	Drawing nr: 702831		=T3
E	Radio/Eber	2022-01-27	CV	User	CV							+P4
F	AngleSens	2023-01-30	CV	Proved	RH					Bäckgatan 32 34322 Älmhult	EASYSTART	Sheet 119
Status	change	date	name	Standard	InevTC	Origin	F (702832)	Repl. f.	E (702832)			62 Sh.









C5 CONNECTON




C6 CONNECTON




D	Valves	2022-09-06	GS	date	2023-01-30	Model: Terri 3 Wheels					TERRI 0476-70 97 90 www.terri.se		Drawing nr: 702831		=T3	
E	Radio/Eber	2022-01-27	CV	User	CV										+P4	
F	AngleSens	2023-01-30	CV	Proved	RH										Sheet 123	
Status	change	date	name	Standard	InevTC	Origin	F (702832)	Repl. f.	E (702832)			Bäckgatan 32 34322 Älmhult		WORKLIGHT		62 Sh.




D	Valves	2022-09-06	GS	date	2023-01-30	Model: Terri 3 Wheels			TERRI 0476-70 97 90 www.terri.se	Drawing nr: 702831		=T3	
E	Radio/Eber	2022-01-27	CV	User	CV							+P6	
F	AngleSens	2023-01-30	CV	Proved	RH							Bäckgatan 32 34322 Älmhult	
Status	change	date	name	Standard	InevTC	Origin	F (702832)	Repl. f.	E (702832)	A1 : VALVES		Sheet	124
												62 Sh.	





D	Valves	2022-09-06	GS	date	2023-01-30	Model: Terri 3 Wheels				TERRI 0476-70 97 90 www.terri.se	Drawing nr: 702831			=T3	
E	Radio/Eber	2022-01-27	CV	User	CV									+P6	
F	AngleSens	2023-01-30	CV	Proved	RH						Bäckgatan 32 34322 Älmhult		A2 : VALVES		Sheet 125
Status	change	date	name	Standard	InevTC	Origin	F (702832)	Repl. f.			E (702832)	62 Sh.			





D	Valves	2022-09-06	GS	date	2023-01-30	Model: Terri 3 Wheels				TERRI 0476-70 97 90 www.terri.se		Drawing nr: 702831		=T3	
E	Radio/Eber	2022-01-27	CV	User	CV									+P6	
F	AngleSens	2023-01-30	CV	Proved	RH									Sheet 126	
Status	change	date	name	Standard	InevTC	Origin	F (702832)	Repl. f.	E (702832)			Bäckgatan 32 34322 Älmhult	A3 : FLUIDS		62 Sh.


















D	Valves	2022-09-06	GS	date	2023-01-30	Model: Terri 3 Wheels			TERRI 0476-70 97 90 www.terri.se	Drawing nr: 702831		=T3	
E	Radio/Eber	2022-01-27	CV	User	CV							+P6	
F	AngleSens	2023-01-30	CV	Proved	RH					Bäckgatan 32 34322 Älmhult		A11 : EXTRA	
Status	change	date	name	Standard	InevTC	Origin	F (702832)	Repl. f.	E (702832)	62 Sh.			




Info:
See sheet 138 for installation

D	Valves	2022-09-06	GS	date	2023-01-30	Model: Terri 3 Wheels			TERRI 0476-70 97 90 www.terri.se	Drawing nr:702831	=T3		
E	Radio/Eber	2022-01-27	CV	User	CV						+EXT		
F	AngleSens	2023-01-30	CV	Proved	RH						Sheet 135		
Status	change	date	name	Standard	InevTC	Origin	F (702832)	Repl. f.	E (702832)	Bäckgatan 32 34322 Älmhult	A12 : CAT ENGINE		62 Sh.


TE-765013

Protective hose NW 7,5
KT-277101



Startsolonid

Protective hose NW 7,5
KT-277101




AC Compressor

Protective hose NW 7,5
KT-277101

Shrink hose
KT-2808240


Protective hose NW 7,5
KT-277101



Water filter

1: Yellow 0.75
2: Red 0.75
3: Black 0.75


Protective hose NW 7,5
KT-277101



Fule Pump


1: Blue 0.75
2: Grey 0.75

Protective hose NW 7,5
KT-277101



Intake pipe
1: White 0.75
2: White 0.75


Protective hose NW 7,5
KT-277101



Glow Spiral

HAN 16B CONNECTOR

1. White 2,5
2. Red 4,0
3. White 0,75
4. White 0,75
5. Yellow 0,75
6. Red 0,75
7. Black 0,75
8. Blue 1,5
9. Black 1,5
10. Grey 0,75
11. Blue 0,75



Male Plug
KT-14347340

Protective hose
KT-277104

Shrink hose
KT-2808240

D	Valves	2022-09-06	GS	date	2023-01-30	Model: Terri 3 Wheels			TERRI 0476-70 97 90 www.terri.se	Drawing nr: 702831		=T3	
E	Radio/Eber	2022-01-27	CV	User	CV							+EXT	
F	AngleSens	2023-01-30	CV	Proved	RH					Bäckgatan 32	CAT ENGINE CABLE	Sheet 138	
Status	change	date	name	Standard	InevTC	Origin F (702832)	Repl. f. E (702832)			34322 Älmhult		62 Sh.	

